



PRODUCT DESCRIPTION

- Surface Mount Housing, 1 Blank Module 25 x 50 mm (0.98" x 1.97")

TECHNICAL CHARACTERISTICS

- Surface mount boxes are compatible with keystone jack modules. Various AMP styles available: telephone module, category 5e module, category 5e shielded module.

MATERIALS

- Housing : Fire approved ABS UL 94V-0





PRODUCT DESCRIPTION

- Surface Mount Housing, 2 Blank Modules 25 x 50 mm (0.98" x 1.97"),

TECHNICAL CHARACTERISTICS

- Surface mount boxes are compatible with keystone jack modules. Various AMP styles available: telephone module, category 5e module, category 5e shielded module.

MATERIALS

- Housing : Fire approved ABS UL 94V-0



Toll Free: +1-866-634-9737

www.hyperline.com | info@hyperline.com



Toll Free: +1-888-497-3748



PRODUCT DESCRIPTION

- Surface Mount Housing, 3 Blank Modules 25 x 50 mm (0.98" x 1.97")

TECHNICAL CHARACTERISTICS

- Surface mount boxes are compatible with keystone jack modules. Various AMP styles available: telephone module, category 5e module, category 5e shielded module.

MATERIALS

- Housing : Fire approved ABS UL 94V-0

ORDERING

Product Code	Product Description
SBB2-1-WH	Surface Mount Housing, 1 Blank Modules 25 x 50 mm (0.98" x 1.97"), White
SBB2-2-WH	Surface Mount Housing, 2 Blank Modules 25 x 50 mm (0.98" x 1.97"), White
SBB2-3-WH	Surface Mount Housing, 3 Blank Modules 25 x 50 mm (0.98" x 1.97"), White/Light
SBB2-1-IV	Surface Mount Housing, 1 Blank Modules 25 x 50 mm (0.98" x 1.97"), Ivory
SBB2-2-IV	Surface Mount Housing, 2 Blank Modules 25 x 50 mm (0.98" x 1.97"), Ivory
SBB2-3-IV	Surface Mount Housing, 3 Blank Modules 25 x 50 mm (0.98" x 1.97"), White/Ivory